



**DISC ESD**  
**ARAR410**

**S3 SRC**  
**EN ISO 20345:2011**  
**35 to 48**

**Urban sport style safety shoe**  
**Dissipative**



- Urban sport style safety shoe designed with **BASF's innovative High Rebound technology**.
- Electrostatic dissipative shoes **ESD** Environmental Class II tested according to **EN 61340-4-3** and **EN 61340-5-1**.
- Nubuck leather. black color.
- Breathable upper lining in **3D** mesh, with honeycomb structure for improved all-round ventilation of the foot and fast-drying.
- Padded tongue for good instep protection, combined with two side bellows to prevent any dirt from getting into the boots.
- Padded ergonomic collar in compact flexible foam, lined for extra comfort and better ankle and Achilles tendon protection.
- Lace up on 5 pairs of metal eyelets. Two laces 100 cm black and grey.
- WOW** footbed made of BASF Dynamic polyurethane with heat sensitive memory foam and acts over the entire surface of the foot, cushions pressure points, improves weight distribution and shock absorption caused by impact with the ground. Anatomical, breathable and fitted with the Link ESDTM system, an innovative and seamless, multi-contact static electricity dissipater (Patent pending).
- FLEX-SYSTEM**® Stab-resistant structural insole and liner antistatic and 100% composite in compliance with standard 12568:2010.
- ALU-LITE**® tip in aluminium resisting an impact of an energy of 200 joules.

Slip resistance tests results	
EN Standard : EN ISO 20345 : 2011	
Requirement SRC (SRA+SRB)	
SRA Test ground : ceramic / lubricant : water and detergent	
On flat <b>0,41</b> (>0,32) – On the heel <b>0,30</b> (>0,28)	
SRB Test ground steel / lubricant : glycerine	
On flat <b>0,18</b> (>0,18) – On the heel: <b>0,15</b> (>0,13)	



**BASF Extra Rebound 41.5** innovative sole, with 2 layers of PU, new technology which returns over **40% energy** with every step :

- Less feeling of fatigue during prolonged periods of activity.
- Extremely soft and supple support base for lightweight and optimum comfort.
- Constant energy return provided over the entire surface of the foot.



Weight	Gross Weight (42) : 1370 g / Net Weight (42) : 1154 g			
Size	35 - 39	40 - 41	42 - 45	46 - 48
Packaging	5 pairs	10 pairs		5 pairs
Box (mm)	306 x 192 x 114		340 x 210 x 133	
Dimensions (mm)	585 x 199 x 315	585 x 395 x 315	680 x 425 x 350	680 x 215 x 350